


USE ONLY WHAT YOU NEED.



**RESIDENTIAL
LOW-FLOW TOILET - 1.6 gpf
REBATE APPLICATION**



2009

UP TO 3 TOILET REBATES PER RESIDENCE ON ONE APPLICATION

Denver Water • 1600 W. 12th Avenue, mail code 330 • Denver, CO 80204

Follow these steps to earn your rebate:

- 1) First verify that you qualify for Denver Water rebates! **See page 2, and /or log on to denverwater.org for complete eligibility rules.** Then purchase a qualifying low-flow toilet model from the list of models (attached) between January 1 - December 31, 2009.
- 2) Attach the entire receipt, which must include the date, toilet brand, and toilet model number in order to qualify. **(Keep a copy for your records.)**
- 3) Complete this application **and the affidavit attached.** Submit a copy of your identification along with this application, the receipt, and the signed affidavit to your water provider **within 90 days of purchase date. NO EXCEPTIONS!**

Failure to cash a rebate check within 90 days of issuance shall void the rebate and shall relieve Denver Water of any obligation or liability to pay the rebate. Rebate checks cannot be reissued.

Name*		Phone No.*	
Address*		City*	State* ZipCode*
Water account number where installed. (if living in HOA, contact them for your acct. #)*		Water provider*	
Address where toilet is installed*		City*	Zip Code*

New Low-Flow Toilet Information:

Date purchased	Date installed	Cost of toilet only (excluding tax/labor)	No. of toilets purchased	Where was toilet purchased?
No. of people in household	Reason for purchase?		Where did you hear about the rebate?	
I certify that this toilet was purchased and installed in 2009 at the address indicated above. I have attached the receipt, my signed affidavit, and a copy of my ID to this application and understand that all documents including receipts become the property of Denver Water once submitted. I understand that installation of a qualifying toilet does not guarantee a reduction in my water bill, and Denver Water reserves the right to randomly inspect my premise in order to verify installation of my toilet prior to issuing my rebate.				
Signature*		Date*		

*Required information

STOP! Did you forget something?

- Completed application
- Entire receipt
- Signed affidavit
- Copy of identification

NOW YOU'RE READY to mail your rebate packet to your water provider.

Allow 8-10 weeks to process.

FOR DENVER WATER USE ONLY

Make of toilet	Model of toilet	Date verified
Initials	Rebate number	Number of toilets

For information and questions:

log on to to **denverwater.org**, call **303-607-3110**, or e-mail **conservation@denverwater.org**

2009 CONSERVATION RESIDENTIAL REBATE PROGRAM RULES

Rebates apply only to qualifying items purchased between January 1 and December 31, 2009. **NO EXCEPTIONS!**
All 2009 applications must be postmarked by U.S. Mail within 90 days of the purchase date.

- Send rebate applications to the water provider (below) who sends your water bill. Your water provider will forward eligible applications to Denver Water for processing. If your provider is not listed below, you do not qualify for a rebate.

DENVER WATER PROVIDERS

If your provider is on this list, please mail your rebate to your provider (not Denver Water)		If your provider is on this list, please mail your application to Denver Water at: 1600 W. 12th Ave. MC 330, Denver, CO, 80204.	
Alameda W&S District	359 S. Harlan St. Lakewood 80226	Arapahoe Estates Water District	City of Littleton Lochmoor W&S District Loretto Heights Re-Sub. Wtr. Assn. Mansfield Heights North Lincoln W&S District Northgate Water District Panorama Park Water Association Platte Canyon W&S District City of Sheridan South University Place Water Assn. Southeast Englewood Water District Southgate Water District Southwest Metropolitan W&S District Southwest Plaza Metropolitan District Southwest Suburban
Bancroft-Clover W&S District	900 S. Wadsworth Blvd. Lakewood 80226-4398	Bear Creek W&S District	
Bonvue W&S District	South Hoyt Street Lakewood 8021580226	Bennett Bear Creek Farm W&S District	
Bow-Mar W&S District	8739 W. Coal Mine Ave. Littleton 80123	Berkeley W&S District	
Cherry Creek Valley W&S District	2325 So. Wabash St. Denver 80231	Castlewood W&S District	
Cherry Creek Village Water District	6399 S. Fiddler's Green Cir., Ste. 102. Greenwood Village 80111-28144974	Charlou Park Water District	
Consolidated Mutual Water Company*	12700 W. 27th Avenue Lakewood 80215	Cherry Hills Heights W&S District	
Crestview W&S District	P. O. Box 21299 Denver 80221-0299	Cherry Hills North W&S District	
City of Edgewater	2401 Sheridan Blvd. Edgewater 80214	City of Cherry Hills Village	
City of Glendale	4360 E. Virginia Ave. Glendale 80246	Colorado Academy	
Green Mountain W&S District	13919 W. Utah Ave. Lakewood 80228	Colorado Dept. of Natural Resources	
High View Water District	1002 Kipling St. Lakewood 80215-4617	Columbine W&S District	
Ken-Caryl Ranch W&S District	10698 Centennial Rd. Littleton 80127	Country Homes Metropolitan District	
Lakehurst W&S District	7995 W. Quincy Ave. Littleton 80123-1319	Devonshire Heights W&S District	
City of Lakewood	480 S. Allison Pkwy., Civic Center N. Lakewood 80226-3127	Denver Water	
Meadowbrook Water District	9850-B W. Girton Dr. Lakewood, CO 80227	Douglas County Metro. District	
North Pecos W&S District	6900 N. Pecos St. Denver 80221	East Cherry Hills Water District	
North Washington St. W&S District	3172 E. 78th Ave. Denver 80229-6120	Fehlmann Subdivision Water Assn.	
Valley Water District	12101 W. 52nd Ave. Wheat Ridge 80034	Galleria Metropolitan District	
Wheat Ridge Water District	P. O. Box 637. Wheat Ridge 80034-0637	Grant W&S District	
Willowbrook W&S District	9850-B W. Girton Dr. Lakewood 80227	City of Greenwood Village	
Willows Water District	6930 S. Holly Cir. Centennial 80112	Havana W&S District	
		HI-LIN W&S District	
		Hillcrest W&S District	
		Holly Hills W&S District	
		Holly Mutual Water Company	

*Account Numbers beginning with '03' do not qualify.

Failure to cash a rebate check within 90 days of issuance shall void the rebate and shall relieve Denver Water of any obligation or liability to pay the rebate. Rebate checks cannot be reissued.

- **Disqualification:** If a residence has received a rebate since December 31, 2002 for the following:
 • 3 Toilets • 1 ET Controller • 1 Rain Sensor • 1 Clothes Washer
the residence is ineligible to receive the same rebate as part of the 2009 rebate program.
Log on to denverwater.org for more rules

- Customers applying for a rebate agree to allow Denver Water employees to access their premises in order to verify installation of devices eligible for rebates.
- All application forms must be accompanied by an original sales receipt. A valid receipt must clearly show date purchased, manufacturer name/make, model number and price for each item. Application forms without complete information or a valid receipt will be returned. **Please keep a copy for your personal records.**

DENVER WATER REBATE AFFIDAVIT

As of July 31, 2006, you must prove lawful presence in the United States in order to receive the benefit of the rebate.

At the time this form was printed, forms of identification acceptable to the Colorado Department of Revenue include:

- a valid Colorado driver's license;
- a valid Colorado identification card;
- a current driver's license or identification card with applicant's photograph issued by one of the following; Alabama, Arizona, Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Idaho, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Minnesota, Mississippi, Missouri, Montana, Nevada, New Hampshire, New Jersey, New York, North Dakota, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Virginia, West Virginia, and Wyoming;
- United States Passport (except "limited" – issued for 5 years or less);
- a United States military card;
- a United States military dependent's identification card;
- a United States Coast Guard Merchant Mariner card;
- a Native American tribal document;
- a naturalization or citizenship certificate;
- an I-94 immigration form with refugee or asylum status; or
- an unexpired resident alien card, permanent resident card, temporary resident card, or employment authorization card;
- any other form authorized by the [Colorado Department of Revenue](#).

Please mail a photocopy of your identification (in one of the forms listed above) and your signed affidavit along with the other rebate paperwork. **We assure you that this information will remain confidential. You may remove/darken all sensitive information such as driver's license numbers or social security numbers from the copy of your ID that you submit to Denver Water.**

In addition, you must sign and return the affidavit below:

AFFIDAVIT

I, _____ (print name legibly), swear or affirm under penalty of perjury under the laws of the State of Colorado that (check only one):

I am a United States citizen, or

I am not a United States citizen, but I am a Permanent Resident of the United States, or

I am not a United States citizen, but I am lawfully present in the United States pursuant to Federal law.

I understand that this sworn statement is required by law because I have applied for a public benefit. I understand that state law requires me to provide proof that I am lawfully present in the United States prior to receipt of this public benefit. I further acknowledge that making a false, fictitious, or fraudulent statement or representation in this sworn affidavit is punishable under the criminal laws of Colorado as perjury in the second degree under Colorado Revised Statute 18-8-503 and it shall constitute a separate criminal offense each time a public benefit is fraudulently received.

Signature

Date

Maximum Performance (MaP) of Toilet Fixtures November 2009 Listing

**UNAR-Qualified Ultra-Low-Flush
Toilet Fixtures (1.6-gallon - 6 Litre)
Sorted by Manufacturer**

Line item revisions and additions to the June listing are noted below with a dark block on the right margin → →

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency (AWE) and the California Urban Water Conservation Council (CUWCC). All of the fixtures on this list are single-flush, rated at 6.0 Litres (1.6 gallons) per flush, and believed to meet the requirements of the specification titled "Uniform North American Requirements for Toilet Fixtures", although there is no guarantee of such. That UNAR specification requires fixture compliance with the Los Angeles Supplementary Purchase Specification (SPS) as to adjustability and meet a 350 gram minimum performance on the Maximum Performance (MaP) test. Further details may be found at: <http://www.allianceforwaterefficiency.org/MaP-main.aspx>

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		KEY:													
		Flush performance (MaP score)													
		350 grams to 475 grams													
		500 grams and more													
		Type of toilet fixture													
		Pressure- or power-assist													
		Gravity-fed & Vacuum-assist													
14-134	American Standard	Antiquity Cadet 3 EL (one-piece)	2907.016 (one-piece)	1,000	1	3		E		*				F	
15-039	American Standard	Boulevard EL ADA (one-piece)	2891.016 (one-piece)	1,000	1	3		E	*	*				F	
7-517	American Standard	Cadet 3 COMPLETE RF (10" rough-in)	2384.310: "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. Includes 3011 bowl, 4019 tank	1,000	2	3		R		*				F	
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	2	3		E		*				F	
6-641	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	2	3	*	E		*				F	
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.500: 3014 bowl, 4021.500 (lined tank)	800	2	3		E		*				F	
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	2	3		E		*				F	
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	2	3		E	*	*				F	
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E	*	*				F	
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.500: 3016 bowl, 4021.500 (lined tank)	1,000	2	3		E	*	*				F	
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	2	3		E	*	*				F	
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank NOTE: this combination is also sold as 2384.310, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*				F	
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*				F	
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.500: 3011 bowl, 4021.500 (lined tank)	1,000	2	3		R		*				F	

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	2	3		R		*				F		
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		R		*				F		
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'l's as one item or SKU)	1,000	2	3		R		*				F		
14-056	American Standard	Cadet 3 RF ADA	2755.016: 3005.016 bowl, 4021.016 tank	1,000	2	3		R	*	*				F		
15-129	American Standard	Cadet 3 RF ADA (10" rough-in)	2756.016: 3005.016 bowl, 4019.016 tank	1,000	2	3		R	*	*				F		
15-131	American Standard	Cadet 3 RF ADA (14" rough-in)	2757.016: 3005.016 bowl, 4027.016 tank	1,000	2	3		R	*	*				F		
14-127	American Standard	Cadet 3 Right Height RF ADA (lined)	2755.500: 3005.016 bowl, 4021.016 tank (lined)	1,000	2	3		R	*	*				F		
14-RN	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	2	-	*	E				*		F		
13-085	American Standard	Cadet EL	2462.016: 3481.016 bowl, 4142.016 tank	800	2	-	*	E				*		F		
13-086	American Standard	Cadet EL ADA	2467.016: 3483.016 bowl, 4142.016 tank	800	2	-	*	E	*			*		F		
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	2	3		E		*				F		
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	2	3		E		*				F		
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	1	3		E		*				F		
13-073	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		E	*	*				F		
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	2	3		E	*	*				F		
13-093	American Standard	Champion 4 EL ADA	2586.500: 3225.016 bowl, 4266.504 tank(lined)	1,000	2	3		E	*	*				F		
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	1	3		E	*	*				F		
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		R		*				F		
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	2	3		R		*				F		
13-091	American Standard	Champion 4 RF	2585.500: 3110.016 bowl, 4266.504 tank(lined)	1,000	2	3		R		*				F		
15-RN	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	2	3	*	E	*	*				F		
15-057RN	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	2	3	*	E		*				F		
15-058RN	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	2	3	*	E	*	*				F		
15-059RN	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	1,000	2	3	*	R		*				F		

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
14-050	American Standard	Chinalux EL	1000EL: 1100EL bowl, 120012 tank	350	2	2		E		*				F		
14-051	American Standard	Chinalux RF	1000RF: 1100RF bowl, 120012 tank	400	2	2		R		*				F		
13-074	American Standard	Colony FitRight EL	2435.012: 3189.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 2453.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		E		*				F		
13-082	American Standard	Colony FitRight EL (10-inch rough-in)	2485.010: 3189.016 bowl, 4006.016 tank	600	2	2		E		*				F		
13-076	American Standard	Colony FitRight EL (lined tank)	3189.016 bowl, 4003.516 tank (lined)	600	2	2		E		*				F		
13-078	American Standard	Colony FitRight EL ADA	2437.012: 3191.016 bowl, 4003.016 tank	600	2	2		E	*	*				F		
13-088	American Standard	Colony FitRight EL ADA (10-inch rough-in)	2487.010: 3191.016 bowl, 4006.016 tank	600	2	2		E	*	*				F		
13-083	American Standard	Colony FitRight EL ADA (lined tank)	2437.500: 3191.016 bowl, 4003.516 tank (lined)	600	2	2		E	*	*				F		
13-084	American Standard	Colony FitRight RF (10-inch rough-in)	2486.010: 3190.016 bowl, 4006.016 tank	600	2	2		R		*				F		
13-077	American Standard	Colony FitRight RF (lined tank)	3190 bowl, 4003.516 tank (lined)	600	2	2		R		*				F		
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank; NOTE: this combination is also sold as 2447.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		E		*				F		
13-090	American Standard	Compact Cadet 3 EL ADA (one-piece)	2403.500 (one-piece): NOTE: this fixture also sold as 2568.500 as part of the "COMPLETE" package and includes seat and installation mat'l's as one item or SKU	1,000	1	3		E	*	*				F		
10-011	American Standard	Compact Cadet 3 One Piece EL ADA	2403.012 (one-piece); NOTE: this combination is also sold as 2568.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	1	3		E	*	*				F		
10-015	American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	2	3		E		*				F		
10-003	American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	2	3		E	*	*				F		
10-020	American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	2	3		R		*				F		
15-060RN	American Standard	Doral Champion EL	2368.014: 3121 bowl, 4272 tank	1,000	2	3	*	E		*				F		
15-061RN	American Standard	Doral Champion EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	2	3	*	E	*	*				F		
15-062RN	American Standard	Doral Champion RF	2369.014: 3110 bowl, 4272 tank	1,000	2	3	*	R		*				F		
10-019	American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	2	3		E		*				F		
10-014	American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	2	3		R		*				F		
10-001	American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	2	3		E	*	*				F		
15-063RN	American Standard	Doral Classic/Williamsburg EL	2074.014: 3121 bowl, 4281.016 tank	1,000	2	3	*	E		*				F		
15-064RN	American Standard	Doral Classic/Williamsburg EL ADA	2058.014: 3225 bowl, 4281.016 tank	1,000	2	3	*	E	*	*				F		
15-065RN	American Standard	Doral Classic/Williamsburg RF	2076.014: 3110 bowl, 4281.016 tank	1,000	2	3	*	R		*				F		

MaP Test Report Number (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)												
		350 grams to 475 grams												
		500 grams and more												
		Type of toilet fixture												
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Model Name	Model Number													
12-099	American Standard	Evolution 2 RF (insulated tank)	2425.500: 3061.016 bowl, 4061.500 tank (lined)	800	2	2		R		*				F
12-103	American Standard	Evolution 2 EL	2427.012: 3063.016 bowl, 4061.016 tank	800	2	2		E		*				F
12-105	American Standard	Evolution 2 EL (insulated tank)	2427.500: 3063.016 bowl, 4061.500 tank (lined)	1,000	2	2		E		*				F
12-104	American Standard	Evolution 2 EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	2	2		E	*	*				F
12-106	American Standard	Evolution 2 EL ADA (insulated tank)	2428.500: 3068.016 bowl, 4061.500 tank (lined)	1,000	2	2		E	*	*				F
12-100	American Standard	Evolution 2 RF	2426.012: 3061.016 bowl, 4061.016 tank	800	2	2		R		*				F
14-RN	American Standard	Glenwall EL (wall mount-ADA possible)	3402 bowl, 4098 tank	800	2	-	*	E	*		*		R	W
13-076	American Standard	Horizon EL COMPLETE	3474.500: 3189.016 bowl, 4003.516 tank (lined) NOTE: this combination is sold as a "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		E		*				F
12-105 & 14-084	American Standard	Mainstream Complete EL (insulated tank)	3469.500: a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3063.416 bowl, 4061.516 tank (lined)	1,000	2	2		E		*				F
13-080 & 13-087	American Standard	Monarch RF	2436.012: 3190.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 3510.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		R		*				F
13-077 & 13-079	American Standard	Monarch RF (lined tank)	3510.500: 3190.016 bowl, 4003.516 tank (lined); This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		R		*				F
15-RN	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	2	3	*	E	*	*				F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	2	3		E		*				F
15-RN	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	2	3	*	E		*				F
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	2	3		E	*	*				F
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	2	3		R		*				F
15-RN	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	2	3	*	R		*				F
15-122	American Standard	Savona EL (one-piece)	2097.012 (one-piece)	1,000	1	3		E		*				F
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	2	3		E		*				F
10-005	American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	2	3		E	*	*				F
6-642	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	2	3	*	E	*	*				F
10-006	American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	2	3		R		*				F
6-643	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	2	3	*	R		*				F
14-125	American Standard	Studio Cadet 3 EL	2588.016: 3014.016 bowl, 4202.016 tank	1,000	2	3		E		*				F
14-126	American Standard	Studio Cadet 3 EL (lined tank)	2588.500: 3014.016 bowl, 4202.500 tank (lined)	1,000	2	3		E		*				F
14-129	American Standard	Studio Cadet 3 EL ADA	2589.016: 3016.016 bowl, 4202.016 tank	1,000	2	3		E	*	*				F
14-128	American Standard	Studio Cadet 3 EL ADA (lined tank)	2589.500: 3016.016 bowl, 4202.500 tank (lined)	1,000	2	3		E	*	*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
14-121	American Standard	Studio Cadet 3 RF	2587.016: 3011.016 bowl, 4202.016 tank	1,000	2	3		R		*				F
14-124	American Standard	Studio Cadet 3 RF (lined tank)	2587.500: 3011.016 bowl, 4202.500 tank (lined)	1,000	2	3		R	*	*				F
14-123	American Standard	Studio Cadet 3 RF ADA	2579.016: 3005.016 bowl, 4202.016 tank	1,000	2	3		R	*	*				F
14-122	American Standard	Studio Cadet 3 RF ADA (lined tank)	2579.500: 3005.016 bowl, 4202.500 tank (lined)	1,000	2	3		R	*	*				F
10-145	American Standard	Titan EL	2841.016: 3893.016 bowl, 4337.016 tank	1,000	2	3		E		*				F
14-RN	American Standard	Titan EL ADA	2839.016: 3892.016 bowl, 4337.016 tank	900	2	3		E	*	*				F
8-515	American Standard	Titan EL ADA (one piece)	2782.016 (one-piece)	1,000	1	3		E	*	*				F
10-144	American Standard	Titan RF	2845.016: 3895.016 bowl, 4337.016 tank	1,000	2	3		R		*				F
8-519	American Standard	Titan Triangle EL	2842.016: 3893.016 bowl, 4338.016 tank	1,000	2	3		E		*				F
8-520	American Standard	Titan Triangle EL ADA	2840.016: 3892.016 bowl, 4338.016 tank	1,000	2	3		E	*	*				F
8-517	American Standard	Titan Triangle RF	2846.016: 3895.016 bowl, 4338.016 tank	1,000	2	3		R		*				F
15-127	American Standard	Town Square EL ADA (one-piece)	2847.016 (one-piece)	1,000	1	3		E	*	*				F
10-010	American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	2	3		E	*	*				F
10-002	American Standard	Townsend Champion 4 RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	2	3		R	*	*				F
10-012	American Standard	Tropic Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	2	3		E	*	*				F
15-130	American Standard	Tropic Cadet 3 Right Height RF ADA	2791.016: 3005.016 bowl, 4007.016 tank	1,000	2	3		R	*	*				F
15-133	American Standard	Tropic Cadet 3 Right Height RF ADA (lined tank)	2791.516: 3005.016 bowl, 4007.516 tank (lined)	1,000	2	3		R	*	*				F
13-096	American Standard	Tropic EL	2457.516: 3014 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		E		*				F
13-071	American Standard	Tropic EL ADA	2459.516: 3016 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		E	*	*				F
15-029	American Standard	Tropic EL ADA (one-piece)	2786.016 (one-piece)	1,000	1	3		E	*	*				F
15-028	American Standard	Tropic RF	2455.516: 3011 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		R		*				F
10-018	American Standard	Tropic/Triumph Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	2	3		E		*				F
15-027	American Standard	Tropic/Triumph Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	2	3		R		*				F
13-075	American Standard	Yorkville EL ADA	2878.016: 3703.016 bowl, 4142.016 tank	1,000	2	-	*	E	*		*	R		F
10-056	Aquadis	DecoKit RF	TI 627 bowl, FL 610 tank	500	2	2		R		*				F
10-054	Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800	2	2		E	*	*				F
14-114	AquaSource (Lowe's)	None EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	2	2		E		*				F
14-110	AquaSource (Lowe's)	None RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	2	2		R		*				F
14-083	AquaSource (Lowe's)	Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	2	2		R		*				F
14-005	Axent-Regatta Water Co.	Mirabelle/Bellina EL	6002.002: 6002.012.02 bowl, 6002.024.02 tank	1,000	2	3		E		*				F
14-006	Axent-Regatta Water Co.	Mirabelle/Edgewater EL ADA (one-piece)	6001.001 (one piece)	1,000	1	3		E	*	*				F
14-007	Axent-Regatta Water Co.	Mirabelle/Peninsula EL ADA (one piece)	6003.001 (one-piece)	1,000	1	3		E	*	*				F
14-004	Axent-Regatta Water Co.	Mirabelle/Soiree EL	6004.002: 6004.012.02 bowl, 6004.024.02 tank	1,000	2	3		E		*				F
13-047	Briggs	Altima EL	4325 bowl, 4438 tank	400	2	2		E		*				F
13-049	Briggs	Altima EL ADA	4328 bowl, 4438 tank	550	2	2		E	*	*				F
8-511	Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600	2	2		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
13-045	Briggs	Altima RF	4320 bowl, 4438 tank	500	2	2		R		*				F
11-089	Briggs	Kingsley EL	6087 (one piece)	800	1	3		E		*				F
11-090	Briggs	Kingsley RF	6083-130 (one piece)	600	1	3		R		*				F
7-536	Briggs	Maelstrom EL	4395 bowl, 4490 tank	600	2	3		E		*				F
7-537	Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600	2	3		E	*	*				F
7-538	Briggs	Maelstrom RF	4390 bowl, 4490 tank	400	2	3		R		*				F
8-506	Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500	2	2		E	*	*				F
8-505	Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400	2	2		R		*				F
15-053	Cerapure Industries	None EL ADA (one-piece)	C8813/PF2001HEWH	800	1			E	*	*				F
13-007	Chelini	Bournelli RF (lined tank)	1415 R bowl, 14206 tank (lined)	800	2	2		R		*				F
13-024	Chelini	Cabot EL (lined tank)	B1015E bowl, T10306 tank (lined)	1,000	2	3		E		*				F
13-027	Chelini	Cabot RF (lined tank)	B1015R bowl, T10306 tank (lined)	1,000	2	3		R		*				F
13-120	Chelini	Champlain EL (lined tank)	B215E bowl, T2306 tank (lined)	600	2	3		E		*				F
13-006	Chelini	Champlain EL ADA (lined tank)	218E bowl, T2306 tank (lined)	1,000	2	3		E	*	*				F
13-118	Chelini	Champlain EL ADA (lined tank)	B216E bowl, T2306 tank (lined)	1,000	2	3		E	*	*				F
14-048	Chelini	Champlain EL ADA (lined tank)	B216R bowl, T2306 tank (lined tank)	1,000	2	3		E	*	*				F
13-119	Chelini	Champlain RF (lined tank)	B215R bowl, T2306 tank (lined)	600	2	3		R		*				F
13-117	Chelini	Verrazano RF ADA (lined tank)	B1118R bowl, T11206 tank	800	2	2		R	*	*				F
14-067	Conrac	Chloe RF (1 piece - lined tank)	5710BFT (one-piece - lined tank)	700	1	2		R		*				F
11-078	Conrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	2	2		E		*				F
11-079	Conrac	None EL	4722BET bowl, 4721BFTU tank	600	2	2		E		*				F
11-076	Conrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	2	2		E	*	*				F
11-077	Conrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	2	2		E	*	*				F
11-082	Conrac	None RF	4710BFT (lined tank)	600	1	2.5		R		*				F
11-083	Conrac	None RF	4710BFTU (one piece)	550	1	2.5		R		*				F
11-074	Conrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	2	2		R		*				F
11-075	Conrac	None RF	4722BFT bowl, 4721BFTU tank	550	2	2		R		*				F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	2	2		R		*				F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800	2	3		E	*	*				F
11-029	Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	2	-	*	E				*		F
11-019	Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	2	-	*	E				*		F
10-039	Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	2	-	*	E				*		F
10-031	Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	2	-	*	E	*			*		F
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	2	-	*	R				*		F
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	2	-	*	R				*		F
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400	2	3		E	*	*				F
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500	2	3		E		*				F

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500	2	3		F		*				F		
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	2	2		F		*				F		
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	2	2		F		*				F		
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500	2	3		R		*				F		
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	2	2		R		*				F		
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	2	2		R		*				F		
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800	2	3		F						F		
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800	2	3		F	*	*				F		
11-024	Crane	Shiloh EL	31731 (one piece)	400	1			F		*				F		
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000	2	3		F		*				F		
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	2	3		F		*				F		
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800	2	3		F		*				F		
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	2	3		F	*	*				F		
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000	2	3		F	*	*				F		
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	2	3		R		*				F		
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800	2	3		R		*				F		
10-145	Crane	Titan EL	32022: 32008 bowl, 32006 tank	1,000	2	3		F		*				F		
8-514	Crane	Titan EL (one piece)	081-0755	1,000	1	3		F		*				F		
14-RN	Crane	Titan EL ADA	32032: 32013 bowl, 32006 tank	900	2	3		F	*	*				F		
8-515	Crane	Titan EL ADA (one piece)	32018	1,000	1	3		F	*	*				F		
8-518	Crane	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	2	3		F		*				F		
8-521	Crane	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	2	3		F	*	*				F		
8-516	Crane	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	2	3		R		*				F		
10-144	Crane	Titan RF	32012: 32004 bowl, 32006 tank	1,000	2	3		R		*				F		
8-519	Crane	Titan Triangle EL	32062: 32008 bowl, 32026 tank	1,000	2	3		F		*				F		
8-520	Crane	Titan Triangle EL ADA	32035: 32013 bowl, 32026 tank	1,000	2	3		F	*	*				F		
8-517	Crane	Titan Triangle RF	32052: 32004 bowl, 32026 tank	1,000	2	3		R		*				F		
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	2	3		F	*	*				F		
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	2	3		F	*	*				F		
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	1	3		F	*	*				F		
14-094	Danze	Ziga Zaga EL ADA	DC031221 (one-piece)	1,000	1	3		F	*	*				F		
13-078	Eljer	Calloway EL ADA	091-2775: 3191.416 bowl, 4003.416 tank	600	2	2		F	*	*				F		
13-083D	Eljer	Calloway EL ADA (lined tank)	091-2775: 3191.416 bowl, 4003.456 tank (lined)	600	2	2		F	*	*				F	D	
13-080	Eljer	Calloway RF	091-2760: 3190.416 bowl, 4003.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	2	2		R		*				F		
13-077 & 13-079D	Eljer	Calloway RF (12" rough-in)	091-2760: 3190.416 bowl, 4003.456 tank	600	2	2		R		*				F	D	

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600	1	3		E		*					F	
7-523	Eljer	Diplomat EL ADA (12" rough-in)	091-3275: 3016.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E	*	*					F	
7-522	Eljer	Diplomat RF (12" rough-in)	091-0160: 3011.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*					F	
10-128	Eljer	Diplomat Spacesaver EL	091-3925: 3046.416 bowl, 4019.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E		*					F	
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	1	3		R		*					F	
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	2	3		E		*					F	
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	1	3		E		*					F	
14-RN	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank. NOTE: This combination also sold as "TOILET TO GO" package and includes bowl, tank, seat, & installation mat'ls as one item as 081-0777-001BW	900	2	3		E	*	*					F	
8-515	Eljer	Titan EL ADA (one piece)	081-0777	1,000	1	3		E	*	*					F	
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	2	3		E		*					F	
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	2	3		E	*	*					F	
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	2	3		R		*					F	
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	2	3		R		*					F	
8-519	Eljer	Titan Triangle EL	091-3755: 131-0755 bowl; 141-3777 tank	1,000	2	3		E		*					F	
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	2	3		E	*	*					F	
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000	2	3		R		*					F	
14-114	Foremost	AIO (All-In-One) EL	AIO250EW-LO: AIO B250EW-LO bowl, AIO T250EW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000184)	800	2	2		E		*					F	
14-110	Foremost	AIO (All-In-One) RF	AIO250RW-LO: AIO B250RW-LO bowl, AIO T250RW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000187)	800	2	2		R		*					F	
11-094	Foremost	Aragon IV - EL	TL-6300E-*LN (one-piece, lined tank)	1,000	1	2		E		*					F	
10-080	Foremost	Colonade - EL ADA	TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined)	500	2	3		E	*	*					F	
11-072	Foremost	Dietrich EL (lined tank)	TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined)	350	2	3		E		*					F	
13-128	Foremost	Iris EL	TL-4000 (one piece)	1,000	1	3		E		*					F	

MaP Test Report Number (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)		
		Flush performance (MaP score)													Model Name	Model Number
		350 grams to 475 grams														
		500 grams and more														
		Type of toilet fixture														
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
14-014	Foremost	None EL (one piece, All-In-One package)	TL-4000-*L and TL-4310-*LM sold as All-In-One package (one-piece) (lined tank)	1,000	1	3		E		*				F		
15-016	Foremost	None EL ADA	TT-8297-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	2	2		E	*	*				F		
15-111	Foremost	None EL ADA (lined tank)	TT-8297-*L2: LL-8207HC-*2 bowl; T-8207-*L2 tank (lined)	850	2	2		E	*	*				F		
15-099	Foremost	None RF	A01-681685R: LL-685R bowl, T1-681 tank	750	2	2		R		*				F		
15-018	Foremost	None RF	TG-4200-*1: LL-4200-*1 bowl, T-4200-*1 tank	450	2	2		R		*				F		
15-052	Foremost	None RF	TG-4200-*L1: LL-4200-*1 bowl, T-4200-*L1 tank	500	2	2		R		*				F		
14-083	Foremost	None RF	TL-6800R*-LO: LL-6800-R*-MI bowl, T-6800-*S tank (Combination also sold as AquaSource-Lowe's SKU#0000164)	700	2	2		R		*				F		
15-112	Foremost	None RF	TT-8207-*L2: LL-8207-*2 bowl; T-8207-*L2 tank (lined)	800	2	2		R		*				F		
15-017	Foremost	None RF	TT-8207-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	2	2		R		*				F		
11-093	Foremost	Premier EL	TL-5100-*L (one piece with lined tank)	750	1	2		E		*				F		
14-078	Foremost	Premier/Lilas RF (one-piece)	TL-5101-*L1 (one-piece)	750	1	2		R		*				F		
11-092	Foremost	Regent RF	TL-5200-*L (one piece with lined tank)	700	1	2		R		*				F		
9-045	Foremost	Tuxedo EL ADA	TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM)	1,000	1	2		E	*	*				F		
10-084 & 13-148	Foremost	Westminster - RF	TL-6800-*L: T-6800-*L bowl, LL-6800 tank (lined)	800	2	2		R		*				F		
14-058	Foremost	Premier EL ADA (lined tank)	LL-8207HC-*3: LL-8207HC-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8297-*L3)	1,000	2	2		E	*	*				F		
14-059	Foremost	Premier RF (lined tank)	LL-8207-*3: LL-8207-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8207-*L3)	1,000	2	2		R		*				F		
14-016	Foremost	Regent RF	TL-5207-*L: LL-5207 bowl, T-5207-*L tank (lined tank)	400	2	2		R		*				F		
14-085	Foremost	Rona Toilet-to-Go (TTG) RF	TL-8257-*L1-TTG: LL-8257-*1 bowl, T-8257-*L1 tank (lined tank)	700	2	2		R		*				F		
13-129	Foremost	Westminster EL	TL-6800E-WN, LL-6800-EWN Bowl T-6800-WN Tank	900	2	3		E		*				F		
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	2	3		E		*				F		
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	2	3		E		*				F		
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	2	3		E		*				F		
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	2	3		E		*				F		
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	2	3		E	*	*				F		

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:		
															Flush performance (MaP score)		
															350 grams to 475 grams		
															500 grams and more		
															Type of toilet fixture		
Pressure- or power-assist																	
Gravity-fed & Vacuum-assist																	
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	2	3		E	*	*				F			
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	2	3		E	*	*				F			
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	2	3		E	*	*				F			
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	2	3		R		*				F			
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	2	3		R		*				F			
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	2	3		R		*				F			
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	2	3		R		*				F			
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	2	3		E		*				F			
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	1	-		E				*		F			
14-092	Gerber	Brianne EL (12-inch rough-in - lined tank)	20-015: 21-185 bowl, LT28-183 tank (lined tank)	1,000	2	3		E		*				F			
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	2	3		E		*				F			
14-090	Gerber	Brianne EL ADA (12-inch rough-in - lined tank)	20-013: 21-183 bowl, LT28-183 tank (lined tank)	1,000	2	3		E	*	*				F			
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	2	3		E	*	*				F			
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	2	3		R		*				F			
14-091	Gerber	Brianne RF (lined tank)	20-014: 21-184 bowl, LT28-183 tank (lined tank)	800	2	3		R		*				F			
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	2	3		E		*				F			
14-095	Gerber	Logan Square EL (12-inch rough-in - lined tank)	20-016: 21-532 bowl, LT28-530 tank (lined tank)	500	2	3		E		*				F			
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	2	3		E		*				F			
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	2	3		E	*	*				F			
14-096	Gerber	Logan Square EL ADA (12-inch rough-in - lined tank)	20-018: 21-538 bowl, LT28-530 tank (lined tank)	1,000	2	3		E	*	*				F			
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	2	3		E	*	*				F			
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	1	-	*	E				*		F			
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	2	2		E		*				F			
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	2	2		E		*				F			
15-154	Gerber	Maxwell LX EL (12" rough-in - insulated tank)	21-112: 21-162 bowl, 28-192 tank (insulated)	600	2	2		E		*				F			
15-155	Gerber	Maxwell LX EL ADA (12" r.i.-insulated tank)	21-118: 21-128 bowl, 28-192 tank (insulated)	600	2	2		E	*	*				F			
15-153	Gerber	Maxwell LX RF (12" rough-in - insulated tank)	21-102: 21-152 bowl, 28-192 tank (insulated)	600	2	2		R		*				F			
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	2	2		R		*				F			
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	2	2		R		*				F			
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	2	2		R		*				F			

MaP Test Report Number (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
		Flush performance (MaP score)												
		350 grams to 475 grams												
		500 grams and more												
		Type of toilet fixture												
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Model Name	Model Number													
14-102	Gerber	Picturesque EL ADA (12-inch rough-in - lined tank)	20-010: 21-180 bowl, LT28-180 tank (lined tank)	1,000	2	3		E	*	*				F
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	2	3		E	*	*				F
15-RN	Gerber	Ultra Flush EL	21-312: 21-372 bowl , 28-380 tank	1,000	2	-		E				*		F
15-RN	Gerber	Ultra Flush EL	21-314: 21-372 bowl , 28-384 tank	1,000	2	-		E				*		F
15-156	Gerber	Ultra Flush EL (rear discharge)	21-310: 21-374 bowl, 28-380 tank	800	2	-		E					R	F
15-RN	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	2	-		E	*			*		F
15-RN	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	2	-		E	*			*		F
15-RN	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	2	-		E	*			*		F
15-RN	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	2	-		E	*			*		F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	2	-		E	*			*	R	F
15-157	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	21-319: 21-329 bowl, 28-380 tank	800	2	-		E	*					F
6-617	Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	2	-		R				*		F
6-618	Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	2	-		R				*		F
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	2	2		E		*				F
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	2	2		E		*				F
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	2	2		E		*				F
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	2	2		E		*				F
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	2	2		E	*	*				F
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	2	2		E	*	*				F
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	2	2		E	*	*				F
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	2	2		E	*	*				F
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	2	2		R		*				F
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	2	2		R		*				F
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	2	2		R		*				F
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	2	2		R		*				F
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	1	2		E		*				F
10-083	Home Depot	Aragon IV EL	Home Depot SKU 511-028 (one-piece, lined tank)	1,000	1	2		E		*				F

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
12-067, 12-070, & 13-009	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank (Also sold as All-In-One package by Home Depot UPC CODE 732291338240)	1,000	2	2		R	*	*					F	
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (Flapperless)	Home Depot SKUs: 382-298 bowl, 382-438 tank UPC Code: 732291222617 (bowl) UPC Code: 732291222624 (tank)	400	2	-		E	*	*					F	
10-081	Home Depot - Pegasus	Colonade EL ADA	HD SKUs: 146-548 bowl, 146-283 tank (lined)	500	2	3		E	*	*					F	
9-046	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	Home Depot SKU 464-747 (one-piece)	1,000	1	2		E	*	*					F	
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	Home Depot SKUs 160-753 bowl, 164-146 tank (Also sold in All-In-One combination package as Home Depot SKU 266-868 and UPC Code 732291344678)	600	2	3		E	*	*					F	
14-010	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 266-868	600	2	3		E	*	*					F	
12-069	Jacuzzi	Era EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU BK37959 (Also sold as Lowe's SKU 86426)	1,000	2	3		E	*	*					F	
8-512	Jacuzzi	Maxima EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ37959 (Also sold as Lowe's SKU 49238)	1,000	2	3		E	*	*					F	
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ33959 (Also sold as Lowe's SKU 130294)	1,000	2	3		R	*	*					F	
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	2	3		E	*	*					F	
15-073RN	Kohler	Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	2	3		E	*	*					F	
6-603	Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	2	-	*	E				*	R	F		
13-010	Kohler	Cimarron Class 6 EL ADA	K-3589: 4309 bowl, 4418 tank - NOTE: this fixture is also sold as K-11456 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		E	*	*					F	
15-074RN	Kohler	Cimarron Comfort Height EL ADA	K-3489	800	1	3		E	*	*					F	
15-024	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		R	*	*					F	
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	2	3		E	*	*					F	
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	1	3		E	*	*					F	
15-025	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	600	2	3		E	*	*					F	
15-077RN	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	2	-	*	E	*			*		F		
12-075	Kohler	Kelston EL ADA	K-11452: F4306 bowl, F4474 tank	1,000	2			E	*	*					F	

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
15-071RN	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	1	3		E		*				F
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		E	*	*				F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	2	3		R	*	*				F
15-072RN	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	1	3		E		*				F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		E	*	*				F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	2	3		R	*	*				F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	1	3		E	*	*				F
15-075RN	Kohler	Purist EL	K-3492 Power-Assisted	800	1	-	*	E			*			F
13-003b	Kohler	Sterling Stinson EL	402075: 402070 bowl, 402071 tank	1,000	2	2		E		*				F
14-029	Kohler	Sterling Windham EL	402215: 404215 bowl, 404515 tank	1,000	2	2		E		*				F
12-073	Kohler	Wellworth Class 5 EL	K-3574: 4293 bowl, 4632 tank NOTE: this fixture is also sold as K-11473 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		E		*				F
15-069RN	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	2	-		E			*			F
12-097 & 15-023	Kohler	Wellworth Class 5 RF	K-3576: 4299 bowl, 4632 tank NOTE: this fixture is also sold as K-11471 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		R		*				F
14-114	Lowe's	Aquasource EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	2	2		E		*				F
14-110	Lowe's	Aquasource RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	2	2		R		*				F
14-083	Lowe's	Aquasource Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	2	2		R		*				F
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500	2	2		E	*	*				F
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400	2	2		R		*				F
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	1	3		E		*				F
9-041	Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000	2	3		E		*				F
9-040	Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000	2	3		E	*	*				F
6-648	Mansfield	Montclaire EL ADA	107 bowl, 108 tank	550	2	3		E	*	*				F
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	2	-		E	*	*		*	R	W
9-042	Mansfield	None - RF	103 bowl, 109 tank	400	2	3		R		*				F
6-647	Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	2	-		E			*		R	F
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	2	3		E	*	*				F
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	2	3		E	*	*				F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800	2	3		E		*				F
14-005	Mirabelle (by Ferguson)	Boca Raton EL	MIRBR240 bowl, MIRBR200 tank	1,000	2	3		E		*				F

MaP Test Report Number (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:	
															Flush performance (MaP score)	
															350 grams to 475 grams	
															500 grams and more	
															Type of toilet fixture	
Pressure- or power-assist																
Gravity-fed & Vacuum-assist																
14-006	Mirabelle (by Ferguson)	Cordoba EL ADA (one-piece)	MIRCO241 (one-piece)	1,000	1	3		E	*	*					F	
14-007	Mirabelle (by Ferguson)	Key West EL ADA (one piece)	MIRKW241 (one-piece)	1,000	1	3		E	*	*					F	
14-004	Mirabelle (by Ferguson)	St. Augustine EL	MIRSA240 bowl, MIRSA200 tank	1,000	2	3		E		*					F	
12-067, 12-070, & 13-009	Niagara	All-In-One RF ADA	Home Depot SKUs: 303-635 bowl, 140-911 tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291338240)	1,000	2	-		R	*	*					F	
6-644	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600	2	-	*	E	*	*					F	
6-646	Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600	2	-	*	R	*						F	
13-028	Niagara	Flapperless RF	N2216: 2216BC bowl, 2216LPT tank	800	2	-	*	R		*					F	
6-645	Niagara	Flapperless Superior EL (one-piece)	N2218 (one-piece)	600	1	-	*	E	*	*					F	
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	2	-	*	E	*	*					F	
15-002	Orion	Forte EL ADA	50315 bowl, 51315 tank	400	2	3		E	*	*					F	
15-001	Orion	Forte EL ADA (lined tank)	50315 bowl, 51315 tank (lined)	400	2	3		E	*	*					F	
14-135	Porcher (American Standard)	Archive EL (one-piece)	97920-60 (one-piece)	1,000	1	3		E		*					F	
15-036	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-60 (one-piece)	1,000	1	3		E	*	*					F	
12-110	Porcher (American Standard)	EPIC EL (one-piece)	97720 (one-piece)	500	1	3		E		*					F	
13-072	Porcher (American Standard)	L'Expression II (one-piece)	97520 (one-piece)	600	1	2		E		*					F	
15-032	Porcher (American Standard)	Ovale EL ADA	90750-60: 41750-60 bowl, 40750-60 tank	1,000	2	3		E	*	*					F	
15-140	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-60 (one-piece)	1,000	1	3		E	*	*					F	
15-033	Porcher (American Standard)	Ovale RF ADA	90850-60: 41850-60 bowl, 40750-60 tank	1,000	2	3		R	*	*					F	
10-137	Porcher (American Standard)	Veneto II EL (one-piece)	97220 (one-piece)	800	1	3		E		*					F	
15-034	Porcher (American Standard)	Veneto III EL (one-piece)	97320-60 (one-piece)	1,000	1	3		E		*					F	
13-004	PreCon Solutions	None	1003 EL (one-piece)	800	1	2		E		*					F	
13-048	PROFLO	Altima EL	PF1201 bowl; PF3312 tank	400	2	2		E			*				F	
13-050	PROFLO	Altima EL ADA	PF1203 bowl; PF3312 tank	550	2	2		E	*		*				F	
8-511	PROFLO	Altima III RF	PF1200 bowl; PF3112 tank	600	2	2		R		*					F	
13-046	PROFLO	Altima RF	PF1200 bowl; PF3312 tank	500	2	2		R			*				F	
7-536	PROFLO	Maelstrom EL	PF8200 bowl; PF8212 tank	600	2	3		E		*					F	
7-537	PROFLO	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600	2	3		E	*	*					F	
7-538	PROFLO	Maelstrom RF	PF8203 bowl; PF8212 tank	400	2	3		R		*					F	
13-106	PROFLO	None EL ADA	PF6101 bowl, PF6112 tank	900	2	3		E	*	*					F	
13-100	PROFLO	None EL ADA	PF8503 bowl, PF8512 tank	950	2	3		E	*	*					F	
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	2	3		E	*	*					F	
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	2	3		E	*	*					F	
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400	2	2		R		*					F	
6-601	RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600	2	3		E		*					F	
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000	2	3		E		*					F	

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
9-045	Rona	Chateau EL	SKU#7369130 (Foremost #TL-5300E-WL)	1,000	1	2		E	*	*				F
13-128	Rona	Iris EL	SKU#7369070 (Foremost #TL-4000)	1,000	1	3		E		*				F
14-085	Rona	Rona TTG (Toilet-to-Go) RF	SKU#2003388 (Foremost#TL-8257-WL1)	700	2	2		R		*				F
15-015	Saniflo	Saniflush EL ADA (lined tank)	SF04B bowl, SF01T tank (lined)	850	2	2		E	*	*			R	F
15-012	Saniflo	Saniflush RF ADA (lined tank)	SF03B bowl, SF01T tank (lined)	750	2	2		R	*	*			R	F
13-022	St Thomas Creations	Arlington EL ADA	6119.130 (one-piece)	1,000	1	3		E	*	*				F
13-021	St Thomas Creations	Arlington II EL ADA	6119.030: 6119.033 bowl, 6119.024 tank	1,000	2	3		E	*	*				F
13-020	St Thomas Creations	Barrymore II EL ADA	6171.030: 6171.033 bowl, 6171.024 tank	1,000	2	3		E	*	*				F
13-051	St Thomas Creations	Celebration EL ADA	6131.130 (one-piece)	1,000	1	3		E	*	*				F
13-018	St Thomas Creations	Malibu EL ADA	6116.130 (one-piece)	1,000	1	3		E	*	*				F
13-017	St Thomas Creations	Palermo EL ADA	6006.130 (one-piece)	1,000	1	3		E	*	*				F
13-025	St Thomas Creations	Palermo EL ADA	6137.030: 6137.033 bowl, 6137.024 tank	1,000	2	3		E	*	*				F
13-026	St Thomas Creations	Palermo RF ADA	6137.310: 6137.313 bowl, 6137.024 tank	1,000	2	3		R	*	*				F
13-019	St Thomas Creations	Presley EL ADA	6401.030: 6401.033 bowl, 6401.024 tank	1,000	2	3		E	*	*				F
13-023	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.030: 6123.033 bowl, 6125.024 tank	1,000	2	3		E	*	*				F
13-052	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.130 OR 6123.130 (one-piece)	1,000	1	3		E	*	*				F
14-RN	Toto	Drake EL	CST744S: C744S or C744E bowl, ST743S tank	900	2	3		E		*				F
7-515	Toto	Neorest EL	600	700	1	-	*	E			*			F
14-RN	Toto	Ultimate RF	CST853 OR MS853113 OR MW853***	400	1	3		R		*				F
14-RN	Toto	Ultramax EL	CST854S OR MS854114S OR MW854***S	700	1	3		E		*				F
14-RN	Toto	Willingham EL (formerly Plymouth)	CST924F OR MS924154F OR MW924***F	675	1	3		E		*				F
13-102	Tynan Plumbing	Avoca EL ADA	4301: 0320 bowl, 1331 tank	900	2	3		E	*	*				F
13-105	Tynan Plumbing	Foyle EL ADA	4332: 0321 bowl, 1332 tank	900	2	3		E	*	*				F
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000	2	3		E		*				F
13-099	Tynan Plumbing	MacLair EL ADA	4314: 0314 bowl, 1330 tank	950	2	3		E	*	*				F
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000	2	3		R		*				F
14-027	Villeroy & Boch	Elody EL	5W01-01: 5C01-01 bowl, 5D01-U1 tank	900	2	3		E		*				F
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	2	3		E		*				F
14-028	Villeroy & Boch	Twist EL ADA	5W05-01: 5C05-01 bowl, 5D02-U1 tank	600	2	3		E	*	*				F
15-091RN	VitrA	Altantis EL	5051 bowl, 6853 tank	750	2	2		E		*				F
15-092RN	VitrA	Altantis RF	5050 bowl, 6853 tank	800	2	2		R		*				F
14-022	VitrA	Atlantis EL ADA	5052 bowl, 6853 tank	400	2	2		E	*	*				F
6-609	VitrA	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	2	3		E	*	*				F
15-093RN	VitrA	Corina EL	5069 bowl, 5070 tank	850	2	3		E		*				F
15-086RN	VitrA	Corina EL (one-piece)	5178	750	1	3		E		*				F
14-023	VitrA	Corina EL ADA	5032 bowl, 5070 tank	800	2	3		E	*	*				F
15-094RN	VitrA	Corina RF	5068 bowl, 5070 tank	825	2	3		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
8-503	VitrA	Serenada EL ADA	4219-003-5265	800	1	3		E	*	*				F
10-049	Vortens-Lamosa	Rhodas EL ADA	3123V bowl, 3436SPS tank	600	2	2		E	*	*				F
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	2	2		E		*				F
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	2	2		R		*				F
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	2	2		R		*				F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	2	2		R		*				F
10-142	Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	2	-		E				*		F
10-141	Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	2	-		E	*			*		F
15-166	Winfield	None EL ADA	T3611: TB3611 bowl, TK3611 tank	750	2	3		E	*	*				F
15-164	Winfield	None EL ADA	T3612: TB3612 bowl, TK3612 tank	350	2	3		E	*	*				F
15-165	Winfield	None RF	T3613: TB3613 bowl, TK3613 tank	350	2	3		R		*				F
6-635	Zurn	EcoVantage EL	Z5570	800	2	-	*	E				*		F
7-506	Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900	2	3		E	*	*				F
6-640	Zurn	EcoVantage EL ADA	Z5560	1,000	2	-	*	E	*			*		F
8-510	Zurn	EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000	2	3		E		*				F

Notes: RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

G - Gallons per Flush

L - Litres per Flush

RN - Renewed Listing